

Passenger vehicles

Magic Grip cable links

Purpose: emergency use	
Requirement	Effectiveness
On-road traction	6/10
Off-road traction	0/10
Durability	7/10
Smooth ride	7/10



Diamond Back passenger

Purpose: on-road driving	
Requirement	Effectiveness
On-road traction	10/10
Off-road traction	0/10
Durability	9/10
Smooth ride	9/10



For a better fit... Spider Tensioners are needed to ensure your tire chains stay firmly secured to your tire. Passenger car 030-1229



Tire size	Magic Grip		Diamond Back	
	Part no.	Prod. no.	Part no.	Prod. no.
13"				
215/50-13	1918	030-1221		
235/50-13	1934	030-1225		
245/50-13	1934	030-1225		
165/60-13	1914	030-1220		
175/60-13	1914	030-1220		
185/60-13	1918	030-1221		
195/60-13	1926	030-1223		
205/60-13	1926	030-1223	1525Q	030-1240
215/60-13	1926	030-1223	1530Q	030-1239
235/60-13	1934	030-1225	1535Q	030-1235
165/65-13	1918	030-1221		
185/65-13	1914	030-1220		
195/65-13	1926	030-1223	1525Q	030-1240
205/65-13			1530Q	030-1239
215/65-13	1930	030-1224		
155/70-13	1914	030-1220		
165/70-13	1914	030-1220		
175/70-13	1918	030-1221		
185/70-13	1926	030-1223	1525Q	030-1240
195/70-13	1926	030-1223	1530Q	030-1239
205/70-13	1930	030-1224	1535Q	030-1235
165/75-13	1914	030-1220		
175/75-13	1918	030-1221	1525Q	030-1240
185/75-13	1926	030-1223	1525Q	030-1240

Tire size	Magic Grip		Diamond Back	
	Part no.	Prod. no.	Part no.	Prod. no.
195/75-13	1926	030-1223	1525Q	030-1240
145/80-13	1914	030-1220		
155/80-13	1914	030-1220		
165/80-13	1918	030-1221		
175/80-13	1922	030-1222	1525Q	030-1240
185/80-13	1926	030-1223	1530Q	030-1239
185/85-13	1930	030-1224		
14"				
245/50-14	1934	030-1225	1540Q	030-1237
265/50-14	1942	030-1227	1545Q	030-1236
185/55-14	1918	030-1221		
195/55-14	1922	030-1222	1525Q	030-1240
205/55-14	1926	030-1223	1525Q	030-1240
225/55-14	1934	030-1225	1535Q	030-1235
255/55-14	1938	030-1226		
165/60-14	1914	030-1220		
175/60-14	1918	030-1221		
185/60-14	1918	030-1221		
195/60-14	1926	030-1223	1525Q	030-1240
205/60-14	1926	030-1223	1530Q	030-1239
215/60-14	1930	030-1224	1535Q	030-1235
225/60-14	1930	030-1224	1540Q	030-1237
235/60-14	1934	030-1225	1545Q	030-1236

continued

Note to customers: Do not drive on bare pavement or exceed 50 km/h. Due to the nature of their use, tire chains cannot be returned, refunded, exchanged or credited, except to exchange unused chains for a different size within 72 hours of their original purchase.

This sizing chart is a guide only. Actual fitments can vary due to dimensional variances in tire manufacturing within size designations. All tire chains should be pre-fitted prior to use.



Tire Chains

Passenger vehicles

Tire size	Magic Grip		Diamond Back	
	Part no.	Prod. no.	Part no.	Prod. no.
14" continued				
245/60-14	1938	030-1226		
255/60-14	1938	030-1226	1550Q	030-1238
265/60-14	1942	030-1227		
275/60-14	1942	030-1227		
155/65-14	1914	030-1220		
165/65-14	1918	030-1221		
175/65-14	1918	030-1221		
185/65-14	1926	030-1223	1525Q	030-1240
185/65-365	1926	030-1223		
195/65-14	1926	030-1223	1530Q	030-1239
205/65-14	1930	030-1224	1535Q	030-1235
215/65-14	1934	030-1225	1540Q	030-1237
225/65-14	1934	030-1225	1540Q	030-1237
145/70-14	1914	030-1220		
155/70-14	1918	030-1221		
165/70-14	1918	030-1221		
165/70-365	1918	030-1221		
175/70-14	1926	030-1223	1525Q	030-1240
185/70-14	1926	030-1223	1530Q	030-1239
195/70-14	1930	030-1224	1535Q	030-1235
205/70-14	1934	030-1225	1540Q	030-1237
215/70-14	1934	030-1225	1545Q	030-1236
225/70-14	1938	030-1226	1545Q	030-1236
235/70-14	1938	030-1226		
245/70-14	1942	030-1227		
165/75-14	1918	030-1221	1525Q	030-1240
175/75-14	1922	030-1222	1525Q	030-1240
185/75-14	1926	030-1223	1530Q	030-1239
195/75-14	1930	030-1224	1535Q	030-1235
205/75-14	1934	030-1225	1540Q	030-1237
215/75-14	1934	030-1225	1545Q	030-1236
225/75-14	1938	030-1226	1550Q	030-1238
165/80-14	1918	030-1221	1525Q	030-1240
175/80-14	1922	030-1222		
185/80-14	1930	030-1224	1535Q	030-1235

15"				
Tire size	Part no.	Prod. no.	Part no.	Prod. no.
285/40-15	1938	030-1226		
195/45-15	1926	030-1223		
220/45-15	1926	030-1223		

Tire size	Magic Grip		Diamond Back	
	Part no.	Prod. no.	Part no.	Prod. no.
195/50-15	1926	030-1223	1525Q	030-1240
205/50-15	1926	030-1223	1525Q	030-1240
215/50-15	1926	030-1223	1535Q	030-1235
225/50-15	1930	030-1224	1535Q	030-1235
245/50-15	1938	030-1226		
265/50-15	1942	030-1227	1553Q	030-1241
275/50-15	1942	030-1227	1555Q	030-1234
295/50-15	1946	030-1201		
175/55-15	1918	030-1221		
185/55-15	1922	030-1222	1525Q	030-1240
195/55-15	1922	030-1222	1525Q	030-1240
205/55-15	1934	030-1225	1535Q	030-1235
215/55-15	1934	030-1225	1535Q	030-1235
220/55-390	1934	030-1225		
225/55-15	1934	030-1225	1540Q	030-1237
235/55-15			1545Q	030-1236
175/60-15			1525Q	030-1240
185/60-15	1926	030-1223	1525Q	030-1240
195/60-15	1930	030-1224	1530Q	030-1239
200/60-390	1930	030-1224		
205/60-15	1930	030-1224	1535Q	030-1235
215/60-15	1938	030-1226	1540Q	030-1237
225/60-15	1934	030-1225		
235/60-15	1938	030-1226	1550Q	030-1238
245/60-15	1942	030-1227	1553Q	030-1241
255/60-15	1942	030-1227	1555Q	030-1234
265/60-15	1942	030-1227		
275/60-15			1555Q	030-1234
165/65-15	1922	030-1222	1525Q	030-1240
175/65-15	1922	030-1222	1525Q	030-1240
185/65-15	1926	030-1223	1530Q	030-1239
185/65-390	1926	030-1223	1535Q	030-1235
190/65-15	1930	030-1224	1530Q	030-1239
190/65-390	1930	030-1224	1535Q	030-1235
195/65-15	1930	030-1224	1535Q	030-1235
205/65-15	1934	030-1225	1540Q	030-1237
215/65-15	1938	030-1226	1545Q	030-1236
225/65-15	1938	030-1226		
235/65-15	1942	030-1227	1555Q	030-1234
245/65-15	1946	030-1201		

continued

Note to customers: Do not drive on bare pavement or exceed 50 km/h. Due to the nature of their use, tire chains cannot be returned, refunded, exchanged or credited, except to exchange unused chains for a different size within 72 hours of their original purchase.

This sizing chart is a guide only. Actual fitments can vary due to dimensional variances in tire manufacturing within size designations. All tire chains should be pre-fitted prior to use.



Tire Chains



canadiantire.ca

Passenger vehicles

096-1495 08/2012

Tire size	Magic Grip		Diamond Back	
	Part no.	Prod. no.	Part no.	Prod. no.
15" continued				
220/65-390	1938	030-1226	1545Q	030-1236
255/65-15	1942	030-1227		
145/70-15	1918	030-1221		
155/70-15	1918	030-1221		
165/70-360	1918	030-1221		
165/70-365	1918	030-1221		
165/70-15	1922	030-1222	1525Q	030-1240
175/70-15	1922	030-1222	1530Q	030-1239
185/70-365	1930	030-1224		
185/70-15	1930	030-1224	1535Q	030-1235
195/70-15	1934	030-1225	1540Q	030-1237
205/70-15	1934	030-1225	1545Q	030-1236
215/70-15	1938	030-1226	1550Q	030-1238
225/70-15	1938	030-1226	1553Q	030-1241
235/70-15	1942	030-1227	1555Q	030-1234
245/70-15	1942	030-1227	1553Q	030-1241
255/70-15	1946	030-1201	1555Q	030-1234
175/75-15	1922	030-1222	1535Q	030-1235
185/75-15	1926	030-1223	1535Q	030-1235
195/75-15	1930	030-1224	1540Q	030-1237
205/75-15	1934	030-1225		
215/75-15	1938	030-1226	1550Q	030-1238
225/75-15	1942	030-1227	1555Q	030-1234
235/75-15	1942	030-1227	1555Q	030-1234
145/80-15	1918	030-1221		
155/80-15	1922	030-1222		
165/80-15	1922	030-1222	1530Q	030-1239
195/80-15	1934	030-1225	1545Q	030-1236
225/80-15	1942	030-1227		

16"				
Tire size	Part no.	Prod. no.	Part no.	Prod. no.
205/40-16	1926	030-1223	1525Q	030-1240
205/45-16	1930	030-1224	1525Q	030-1240
215/45-16	1930	030-1224	1535Q	030-1235
225/45-16	1934	030-1225	1540Q	030-1237
245/45-16	1938	030-1226		
195/50-16	1930	030-1224		
205/55-16	1934	030-1225	1535Q	030-1235
215/55-16	1934	030-1225		
225/50-16	1934	030-1225	1545Q	030-1236

Tire size	Magic Grip		Diamond Back	
	Part no.	Prod. no.	Part no.	Prod. no.
245/50-16	1938	030-1226	1555Q	030-1234
255/50-16	1942	030-1227	1555Q	030-1234
265/50-16	1942	030-1227		
195/55-16	1930	030-1224		
205/55-16	1934	030-1225	1540Q	030-1237
215/55-16	1934	030-1225	1545Q	030-1236
225/55-16	1938	030-1226		
235/55-16	1938	030-1226		
245/55-16	1942	030-1227		
255/55-16	1942	030-1227	1555Q	030-1234
195/60-16	1930	030-1224	1535Q	030-1235
205/60-16	1934	030-1225	1545Q	030-1236
215/60-16	1938	030-1226	1545Q	030-1236
255/60-16	1938	030-1226	1550Q	030-1238
235/60-16	1942	030-1227	1553Q	030-1241
245/60-16	1942	030-1227		
195/65-16	1934	030-1225		
205/65-16	1938	030-1226		
215/65-16	1938	030-1226	1550Q	030-1238
225/65-16	1938	030-1226	1553Q	030-1241
235/65-16	1942	030-1227	1555Q	030-1234
255/65-16	1942	030-1227		
205/70-16	1938	030-1226		
215/70-16	1938	030-1226	1550Q	030-1238
225/70-16	1946	030-1201		
165/75-16			1530Q	030-1239
175/75-16			1540Q	030-1237
215/75-16	1942	030-1227		
225/75-16	1942	030-1227		

17"				
Tire size	Part no.	Prod. no.	Part no.	Prod. no.
205/40-17	1926	030-1223		
215/40-17	1934	030-1225		
235/40-17	1934	030-1225	1540Q	030-1237
245/40-17	1938	030-1226		
255/40-17	1938	030-1226		
275/40-17	1942	030-1227		
285/40-17	1946	030-1201		
205/45-17	1930	030-1224		
215/45-17	1930	030-1224	1540Q	030-1237

continued

Note to customers: Do not drive on bare pavement or exceed 50 km/h. Due to the nature of their use, tire chains cannot be returned, refunded, exchanged or credited, except to exchange unused chains for a different size within 72 hours of their original purchase.

This sizing chart is a guide only. Actual fitments can vary due to dimensional variances in tire manufacturing within size designations. All tire chains should be pre-fitted prior to use.



Tire Chains



canadiantire.ca

Passenger vehicles

Tire size	Magic Grip		Diamond Back	
	Part no.	Prod. no.	Part no.	Prod. no.
17" continued				
225/45-17	1934	030-1225		
235/45-17	1938	030-1226		
245/45-17	1942	030-1227		
255/45-17	1942	030-1227	1553Q	030-1241
205/50-17	1938	030-1226		
215/50-17	1938	030-1226		
225/50-17	1934	030-1225		
235/50-17	1942	030-1227	1550Q	030-1238
245/50-17	1942	030-1227	1553Q	030-1241
255/50-17	1942	030-1227		
215/55-17	1938	030-1226	1545Q	030-1236
225/55-17	1942	030-1227	1550Q	030-1238
235/55-17	1942	030-1227	1553Q	030-1241
275/55-17	1946	030-1201		
215/60-17	1942	030-1227	1553Q	030-1241
225/60-17	1942	030-1227	1555Q	030-1234
235/60-17	1942	030-1227		
215/65-17	1942	030-1227		
225/65-17	1942	030-1227	1555Q	030-1234
235/65-17	1946	030-1201	1555Q	030-1234
245/65-17	1946	030-1201		

18"				
Tire size	Part no.	Prod. no.	Part no.	Prod. no.
285/30-18	1946	030-1201		
215/35-18	1930	030-1224		
255/35-18	1938	030-1226		
265/35-18	1942	030-1227		
275/35-18	1946	030-1201		
285/35-18	1946	030-1201		
215/40-18	1934	030-1225		
225/40-18	1934	030-1225		
235/40-18	1938	030-1226		
245/40-18	1938	030-1226		
255/40-18	1942	030-1227		
265/40-18	1942	030-1227	1553Q	030-1241
275/40-18	1946	030-1201		
215/45-18	1938	030-1226		
225/45-18	1938	030-1226	1550Q	030-1238
235/45-18	1942	030-1227	1553Q	030-1241
245/45-18	1942	030-1227		

Tire size	Magic Grip		Diamond Back	
	Part no.	Prod. no.	Part no.	Prod. no.
255/45-18	1942	030-1227		
275/45-18	1946	030-1201		
225/50-18	1942	030-1227	1553Q	030-1241
235/50-18	1946	030-1201	1553Q	030-1241
215/55-18	1942	030-1227	1553Q	030-1241
225/55-18	1942	030-1227	1553Q	030-1241
235/55-18	1946	030-1201		
255/55-18	1946	030-1201		
225/60-18	1946	030-1201	1555Q	030-1234
235/60-18	1946	030-1201		
225/65-18	1946	030-1201		
235/65-18	1946	030-1201		

19"				
Tire size	Part no.	Prod. no.	Part no.	Prod. no.
215/35-19	1934	030-1225		
225/35-19	1938	030-1226		
235/35-19	1938	030-1226		
245/35-19	1942	030-1227		
255/35-19	1942	030-1227		
275/35-19	1946	030-1201	1555Q	030-1234
285/35-19	1946	030-1201		
245/40-19	1942	030-1227	1553Q	030-1241
255/40-19	1942	030-1227		
275/40-19	1946	030-1201		
225/55-19			1553Q	030-1241
235/55-19	1946	030-1201	1555Q	030-1234
275/55-19	1946	030-1201		

20"				
Tire size	Part no.	Prod. no.	Part no.	Prod. no.
245/35-20	1942	030-1227		
255/35-20	1942	030-1227		
265/35-20	1946	030-1201	1555Q	030-1234
275/35-20	1946	030-1201		
245/40-20	1946	030-1201	1555Q	030-1234

Don't see your size?

There are many sizes available. Please see your Canadian Tire Auto Parts staff for pricing and details on placing special orders.

Note to customers: Do not drive on bare pavement or exceed 50 km/h. Due to the nature of their use, tire chains cannot be returned, refunded, exchanged or credited, except to exchange unused chains for a different size within 72 hours of their original purchase.

This sizing chart is a guide only. Actual fitments can vary due to dimensional variances in tire manufacturing within size designations. All tire chains should be pre-fitted prior to use.



Tire Chains



canadiantire.ca

Light trucks & SUVs

Cobra Jr. Light Truck Cable Chain

Purpose: emergency use	
Requirement	Effectiveness
On-road traction	7/10
Off-road traction	0/10
Durability	6/10
Smooth ride	8/10



Diamond Back Ultra Light

Purpose: on-road driving	
Requirement	Effectiveness
On-road traction	7/10
Off-road traction	0/10
Durability	7/10
Smooth ride	10/10



Diamond Back Light Truck

Purpose: on-road and occasional off-road driving	
Requirement	Effectiveness
On-road traction	8/10
Off-road traction	7/10
Durability	8/10
Smooth ride	9/10



Alloy V-bar Light Truck

Purpose: extreme weather and off-road driving	
Requirement	Effectiveness
On-road traction	8/10
Off-road traction	9/10
Durability	9/10
Smooth ride	6/10



Shown with Spider Tensioners (sold separately).

For a better fit... Spider Tensioners are needed to ensure your tire chains stay firmly secured to your tire. Light truck 030-1230



Tire size	Cobra Jr.		Diamond Back LW		Diamond Back		V-bar Lightweight	
	Part no.	Prod. no.	Part no.	Prod. no.	Part no.	Prod. no.	Part no.	Prod. no.
7.50-16	1669	030-1212	2319LW	030-1271	2519Q	030-1260	V315LWQC	030-1203
9.50-16.5	1669	030-1212	2319LW	030-1271	2519Q	030-1260	V315LWQC	030-1203
10-16.5	1669	030-1212					V320LWQC	030-1204
12-16.5	1675	030-1218					V295LWQC	030-1206
7.50-20					1545Q	030-1236	V322LWQC	030-1205
14"								
225/60-14			2319LW	030-1271	2519Q	030-1260		
215/75-14	1661	030-1210			1545Q	030-1236		
15"								
305/50-15								
275/60-15	1661	030-1210	2319LW	030-1271	2519Q	030-1260		
325/60-15			2319LW	030-1271	2519Q	030-1260		

Tire size	Cobra Jr.		Diamond Back LW		Diamond Back		V-bar Lightweight	
	Part no.	Prod. no.	Part no.	Prod. no.	Part no.	Prod. no.	Part no.	Prod. no.
255/65-15			2329LW	030-1273	2529Q	030-1262		
225/70-15	1661	030-1210					V312LWQC	030-1202
235/70-15	1661	030-1210	2317LW	030-1270			V312LWQC	030-1202
245/70-15	1661	030-1210	2319LW	030-1271	2519Q	030-1260		
255/70-15	1661	030-1210	2319LW	030-1271	2519Q	030-1260		
265/70-15	1665	030-1211	2319LW	030-1271	2519Q	030-1260		
285/70-15	1661	030-1210	2329LW	030-1273	2529Q	030-1262		
215/75-15	1661	030-1210					V312LWQC	030-1202
225/75-15							V312LWQC	030-1202
235/75-15	1665	030-1211	2317LW	030-1270			V312LWQC	030-1202
245/75-15	1669	030-1212	2321LW	030-1272	2521Q	030-1261		
255/75-15	1669	030-1212						
265/75-15	1669	030-1212	2319LW	030-1271	2519Q	030-1260	V315LWQC	030-1203

continued



Tire Chains

Note to customers: Do not drive on bare pavement or exceed 50 km/h. Due to the nature of their use, tire chains cannot be returned, refunded, exchanged or credited, except to exchange unused chains for a different size within 72 hours of their original purchase.

This sizing chart is a guide only. Actual fitments can vary due to dimensional variances in tire manufacturing within size designations. All tire chains should be pre-fitted prior to use.

Light trucks & SUVs

Tire size	Cobra Jr.		Diamond Back LW		Diamond Back		V-bar Lightweight	
	Part no.	Prod. no.	Part no.	Prod. no.	Part no.	Prod. no.	Part no.	Prod. no.
15" continued								
305/75-15			2319LW	030-1271	2519Q	030-1260		
245/85-15	1669	030-1212	2329LW	030-1273	2529Q	030-1262		
16"								
265/55-16			2321LW	030-1272	2521Q	030-1261		
275/55-16	1665	030-1211	2319LW	030-1271	2519Q	030-1260		
285/60-16	1673	030-1213						
235/65-16	1665	030-1211			1553Q	030-1241		
255/65-16	1665	030-1211	2319LW	030-1271	2519Q	030-1260	V315LWQC	030-1203
265/65-16	1661	030-1210	2319LW	030-1271	2519Q	030-1260	V315LWQC	030-1203
275/65-16			2321LW	030-1272	2521Q	030-1261		
295/65-16	1675	030-1218						
215/70-16	1661	030-1210						
225/70-16	1661	030-1210	2317LW	030-1270				
235/70-16	1665	030-1211	2319LW	030-1271	2519Q	030-1260	V315LWQC	030-1203
245/70-16	1669	030-1212	2319LW	030-1271	2519Q	030-1260	V315LWQC	030-1203
255/70-16	1669	030-1212	2319LW	030-1271	2519Q	030-1260		
265/70-16	1663	030-1217	2329LW	030-1273	2529Q	030-1262	V320LWQC	030-1204
275/70-16	1675	030-1218	2321LW	030-1272	2521Q	030-1261	V320LWQC	030-1204
285/70-16	1675	030-1218					V320LWQC	030-1204
305/70-16							V295LWQC	030-1206
205/75-16	1661	030-1210						
215/75-16	1669	030-1212						
225/75-16	1665	030-1211	2317LW	030-1270			V315LWQC	030-1203
235/75-16	1665	030-1211	2319LW	030-1271	2519Q	030-1260	V315LWQC	030-1203
245/75-16	1669	030-1212	2329LW	030-1273	2529Q	030-1262	V315LWQC	030-1203
255/75-16			2321LW	030-1272	2521Q	030-1261	V315LWQC	030-1203
265/75-16	1675	030-1218	2321LW	030-1272	2521Q	030-1261	V320LWQC	030-1204
285/75-16	1675	030-1218					V295LWQC	030-1206

Tire size	Cobra Jr.		Diamond Back LW		Diamond Back		V-bar Lightweight	
	Part no.	Prod. no.	Part no.	Prod. no.	Part no.	Prod. no.	Part no.	Prod. no.
295/75-16			2321LW	030-1272	2521Q	030-1261		
205/80-16	1661	030-1210						
235/80-16	1669	030-1212	2319LW	030-1271	2519Q	030-1260		
215/85-16	1665	030-1211	2319LW	030-1271	2519Q	030-1260	V315LWQC	030-1203
225/85-16	1669	030-1212	2317LW	030-1270			V315LWQC	030-1203
235/85-16	1669	030-1212	2321LW	030-1272	2521Q	030-1261	V320LWQC	030-1204
245/85-16	1663	030-1217					V322LWQC	030-1205
255/85-16	1675	030-1218					V322LWQC	030-1205
265/85-16	1675	030-1218	2319LW	030-1271	2519Q	030-1260	V322LWQC	030-1205
275/85-16							V295LWQC	030-1206

17"								
Tire size	Part no.	Prod. no.	Part no.	Prod. no.	Part no.	Prod. no.	Part no.	Prod. no.
275/50-17	1669	030-1212	2319LW	030-1271	2519Q	030-1260		
235/55-17	1661	030-1210						
255/55-17	1665	030-1211	2317LW	030-1270			V315LWQC	030-1203
265/55-17	1669	030-1212	2319LW	030-1271	2519Q	030-1260	V315LWQC	030-1203
275/55-17	1673	030-1213	2319LW	030-1271	2519Q	030-1260	V320LWQC	030-1204
235/60-17	1665	030-1211					V315LWQC	030-1203
245/60-17	1665	030-1211	2317LW	030-1270			V315LWQC	030-1203
255/60-17	1673	030-1213	2319LW	030-1271	2519Q	030-1260	V315LWQC	030-1203
265/60-17	1673	030-1213					V320LWQC	030-1204
275/60-17	1675	030-1218					V320LWQC	030-1204
285/60-17	1675	030-1218					V295LWQC	030-1206
235/65-17	1665	030-1211	2319LW	030-1271	2519Q	030-1260		
245/65-17	1669	030-1212	2319LW	030-1271	2519Q	030-1260		
255/65-17	1663	030-1217	2319LW	030-1271	2519Q	030-1260	V320LWQC	030-1204
265/65-17	1663	030-1217	2321LW	030-1272	2521Q	030-1261	V320LWQC	030-1204
235/70-17	1665	030-1211	2319LW	030-1271	2519Q	030-1260	V315LWQC	030-1203
245/70-17	1673	030-1213	2321LW	030-1272	2521Q	030-1261	V315LWQC	030-1203

continued



Tire Chains

Note to customers: Do not drive on bare pavement or exceed 50 km/h. Due to the nature of their use, tire chains cannot be returned, refunded, exchanged or credited, except to exchange unused chains for a different size within 72 hours of their original purchase.

This sizing chart is a guide only. Actual fitments can vary due to dimensional variances in tire manufacturing within size designations. All tire chains should be pre-fitted prior to use.



canadiantire.ca

Light trucks & SUVs

Tire size	Cobra Jr.		Diamond Back LW		Diamond Back		V-bar Lightweight	
	Part no.	Prod. no.	Part no.	Prod. no.	Part no.	Prod. no.	Part no.	Prod. no.
17" continued								
255/70-17			2321LW	030-1272	2521Q	030-1261	V320LWQC	030-1204
265/70-17	1675	030-1218	2321LW	030-1272	2521Q	030-1261	V320LWQC	030-1204
275/70-17	1675	030-1218	2321LW	030-1272	2521Q	030-1261	V322LWQC	030-1205
285/70-17							V295LWQC	030-1206
295/70-17							V295LWQC	030-1206
225/75-17	1669	030-1212	2319LW	030-1271	2519Q	030-1260	V315LWQC	030-1203
235/75-17	1675	030-1218	2321LW	030-1272	2521Q	030-1261	V320LWQC	030-1204
245/75-17	1675	030-1218			2521Q	030-1261	V320LWQC	030-1204
255/75-17	1663	030-1217					V320LWQC	030-1204
265/75-17			2321LW	030-1272	2521Q	030-1261	V322LWQC	030-1205
285/75-17							V295LWQC	030-1206
235/80-17	1669	030-1212					V320LWQC	030-1204
275/80-17	1673	030-1213					V295LWQC	030-1206
245/85-17							V322LWQC	030-1205
17.5"								
215/70-17.5	1673	030-1213					V315LWQC	030-1203
225/70-17.5	1663	030-1217	2317LW	030-1270			V315LWQC	030-1203
245/70-17.5							V320LWQC	030-1204
275/70-17.5			2319LW	030-1271	2519Q	030-1260	V295LWQC	030-1206
205/75-17.5	1661	030-1210	2329LW	030-1273	2529Q	030-1262	V315LWQC	030-1203
215/75-17.5	1673	030-1213	2319LW	030-1271	2519Q	030-1260	V315LWQC	030-1203
225/75-17.5	1665	030-1211	2321LW	030-1272	2521Q	030-1261	V320LWQC	030-1204
235/75-17.5	1665	030-1211					V320LWQC	030-1204
18"								
295/45-18	1673	030-1213						
285/50-18	1675	030-1218	2329LW	030-1273	2529Q	030-1262		
235/55-18	1673	030-1213						
245/55-18	1673	030-1213						

Tire size	Cobra Jr.		Diamond Back LW		Diamond Back		V-bar Lightweight	
	Part no.	Prod. no.	Part no.	Prod. no.	Part no.	Prod. no.	Part no.	Prod. no.
255/55-18	1673	030-1213	2319LW	030-1271	2519Q	030-1260	V320LWQC	030-1204
275/55-18	1675	030-1218	2321LW	030-1272	2521Q	030-1261	V322LWQC	030-1205
285/55-18							V295LWQC	030-1206
235/60-18	1669	030-1212	2317LW	030-1270			V320LWQC	030-1204
245/60-18	1673	030-1213	2319LW	030-1271	2519Q	030-1260	V320LWQC	030-1204
255/60-18	1675	030-1218	2321LW	030-1272	2521Q	030-1261	V320LWQC	030-1204
265/60-18	1675	030-1218	2321LW	030-1272	2521Q	030-1261	V320LWQC	030-1204
275/60-18	1675	030-1218	2329LW	030-1273	2529Q	030-1262		
285/60-18	1675	030-1218					V295LWQC	030-1206
225/65-18	1673	030-1213	2319LW	030-1271	2519Q	030-1260	V315LWQC	030-1203
235/65-18	1673	030-1213	2319LW	030-1271	2519Q	030-1260	V320LWQC	030-1204
255/65-18	1675	030-1218					V320LWQC	030-1204
265/65-18	1663	030-1217					V320LWQC	030-1204
275/65-18	1675	030-1218					V322LWQC	030-1205
285/65-18							V295LWQC	030-1206
225/70-18							V320LWQC	030-1204
255/70-18							V320LWQC	030-1204
265/70-18							V322LWQC	030-1205
275/70-18							V322LWQC	030-1205
285/70-18							V295LWQC	030-1206
265/75-18							V322LWQC	030-1205
275/75-18							V322LWQC	030-1205
235/80-18	1675	030-1218	2321LW	030-1272	2521Q	030-1261	V322LWQC	030-1205
19"								
275/45-19	1673	030-1213	2319LW	030-1271	2519Q	030-1260	V322LWQC	030-1205
285/45-19	1663	030-1217	2329LW	030-1273	2529Q	030-1262	V322LWQC	030-1205
255/50-19	1669	030-1212	2329LW	030-1273	2529Q	030-1262		
245/55-19	1669	030-1212	2319LW	030-1271	2519Q	030-1260		
255/55-19	1663	030-1217	2321LW	030-1272	2521Q	030-1261		

continued



Tire Chains

Note to customers: Do not drive on bare pavement or exceed 50 km/h. Due to the nature of their use, tire chains cannot be returned, refunded, exchanged or credited, except to exchange unused chains for a different size within 72 hours of their original purchase.

This sizing chart is a guide only. Actual fitments can vary due to dimensional variances in tire manufacturing within size designations. All tire chains should be pre-fitted prior to use.

Light trucks & SUVs

Tire size	Cobra Jr.		Diamond Back LW		Diamond Back		V-bar Lightweight	
	Part no.	Prod. no.	Part no.	Prod. no.	Part no.	Prod. no.	Part no.	Prod. no.
19.5"								
225/70-19.5	1663	030-1217	2321LW	030-1272	2521Q	030-1261	V320LWQC	030-1204
245/70-19.5	1675	030-1218					V322LWQC	030-1205
265/70-19.5			2329LW	030-1273	2529Q	030-1262		
20"								
275/40-20	1663	030-1217	2321LW	030-1272	2521Q	030-1261		
295/40-20	1675	030-1218						
245/45-20	1669	030-1212	2319LW	030-1271	2519Q	030-1260	V295LWQC	030-1206
255/45-20	1669	030-1212	2319LW	030-1271	2519Q	030-1260		
265/45-20	1673	030-1213	2319LW	030-1271	2519Q	030-1260		
275/45-20	1675	030-1218	2321LW	030-1272	2521Q	030-1261		
245/50-20	1665	030-1211	2321LW	030-1272	2521Q	030-1261		
255/50-20	1675	030-1218	2321LW	030-1272	2521Q	030-1261		
265/50-20	1675	030-1218						
275/55-20							V295LWQC	030-1206
255/60-20							V295LWQC	030-1206
265/60-20							V295LWQC	030-1206
275/60-20							V295LWQC	030-1206
22"								
295/30-22	1675	030-1218						
265/35-22	1673	030-1213						
285/35-22	1675	030-1218						
265/40-22	1663	030-1217	2321LW	030-1272	2521Q	030-1261		
Other								
27X8.50-14	1661	030-1210			1545Q	030-1236		
27X9.50-14	1665	030-1211						
29X9.50-14	1665	030-1211						
27X9.50-15	1661	030-1210						

Tire size	Cobra Jr.		Diamond Back LW		Diamond Back		V-bar Lightweight	
	Part no.	Prod. no.	Part no.	Prod. no.	Part no.	Prod. no.	Part no.	Prod. no.
28X8.50-15	1661	030-1210						
29X9.50-15	1661	030-1210						
30X9.50-15	1673	030-1213	2319LW	030-1271	2519Q	030-1260		
31X9.50-15	1673	030-1213	2319LW	030-1271	2519Q	030-1260	V315LWQC	030-1203
31X10.50-15	1669	030-1212	2319LW	030-1271	2519Q	030-1260	V315LWQC	030-1203
31X11.50-15	1669	030-1212	2329LW	030-1273	2529Q	030-1262	V320LWQC	030-1204
31X12.50-15	1675	030-1218					V295LWQC	030-1206
32X9.50-15	1669	030-1212					V315LWQC	030-1203
32X11.50-15	1675	030-1218					V320LWQC	030-1204
32X12.50-15	1675	030-1218					V295LWQC	030-1206
33X9.50-15	1675	030-1218					V320LWQC	030-1204
33X10.50-15	1669	030-1212					V320LWQC	030-1204
33X12.50-15	1675	030-1218					V295LWQC	030-1206
35X10.50-15							V295LWQC	030-1206
29X9.50-16	1661	030-1210						
30X9.50-16.5	1661	030-1210					V315LWQC	030-1203
31X10.50-16.5	1669	030-1212	2319LW	030-1271	2519Q	030-1260	V320LWQC	030-1204
31X11.50-16.5	1675	030-1218	2329LW	030-1273	2529Q	030-1262	V322LWQC	030-1205
32X11.50-16.5	1675	030-1218					V295LWQC	030-1206
32X12.50-16.5	1675	030-1218					V295LWQC	030-1206
33X12.50-16.5	1675	030-1218						
33X12.50-17							V295LWQC	030-1206

Don't see your size?

There are many sizes available. Please see your Canadian Tire Auto Parts staff for pricing and details on placing special orders.

Note to customers: Do not drive on bare pavement or exceed 50 km/h. Due to the nature of their use, tire chains cannot be returned, refunded, exchanged or credited, except to exchange unused chains for a different size within 72 hours of their original purchase.

This sizing chart is a guide only. Actual fitments can vary due to dimensional variances in tire manufacturing within size designations. All tire chains should be pre-fitted prior to use.



Tire Chains