

THE DELTA COLLECTION

FOOTWEAR



Made exclusively for Delta

MEN'S SAFETY SHOES/BOOTS

📥 DELTA

- Safety shoes/boots may be either steel toed or approved safety toed and must meet the minimum requirements in Safety Policies and Procedures Manual (SSPM) Section 74. Minimum requirements of ASTM F2413-11, ASTM requirements usually indicated by a label stamped inside the shoe.
- Shoes must be clean, polished, and in good repair
- Must be solid black or dark brown in color
- Heels, toes, and sides must be closed
- Safety shoes/boots must have laces and may not be slip on style shoes for employees with job responsibilities in the operation
- Minimum heel is ¼ inch and maximum height ½ inch

SOCKS

- Socks with shoes/boots are required
- Socks may be white, black, or navy blue and may be any length





83657 TIMBERLAND PRO SERIES STEEL TOE WORK BOOTS

(35) Black, (50) Brown Premium full-grain leather uppers. Tempered steel toe.



83687 6 INCH TIMBERLAND POWER WELT STEEL TOE BOOT

(50) Brown

Full grain Ever-Guard leather uppers. Slip-resistant, waterproof and steel-toe.





83689 6 INCH TIMBERLAND EXTERNAL MET GUARD BOOT

6" Boot • (35) Black Ever-Guard uppers. Metatarsal shield.

83702 8 INCH TIMBERLAND EXTERNAL MET GUARD BOOT

8" Boot • (35) Black •

Ever-Guard uppers. Metatarsal shield.



MEN'S SAFETY SHOES/BOOTS

📥 DELTA

- Safety shoes/boots may be either steel toed or approved safety toed and must meet the minimum requirements in Safety Policies and Procedures Manual (SSPM) Section 74. Minimum requirements of ASTM F2413-11, ASTM requirements usually indicated by a label stamped inside the shoe.
- Shoes must be clean, polished, and in good repair
- Must be solid black or dark brown in color
- Heels, toes, and sides must be closed
- Safety shoes/boots must have laces and may not be slip on style shoes for employees with job responsibilities in the operation
- Minimum heel is 1⁄4 inch and maximum height 1⁄2 inch

SOCKS

- Socks with shoes/boots are required
- Socks may be white, black, or navy blue and may be any length



BOOTS + SHOES + APPAREL + GEAR





83684 WOLVERINE CANNONSBURG INTERNAL METATARSAL GUARD

(50) Brown • 6" Boot

Full leather grain upper. Steel or non steel-toe. Internal metatarsal guard.

80742 WOLVERINE INT. MET GUARD BOOTS WITH EH STEEL TOE

(50) Brown • 8" Boot

Full leather grain upper. Steel or non steel-toe. Internal metatarsal guard.



83632 WOLVERINE DURASHOCKS STEEL TOE BOOT

(35) Black

Leather uppers, Durashock[®] construction. Slip-resistant.



83604 WOLVERINE WATERPROOF STEEL TOE BOOT

(35) Black • 6" Boots Slip-resistant, steel-toe.



83634 6 INCH WOLVERINE WATERPROOF STEEL TOE BOOT

(50) Brown • 6" Boots Slip-resistant, steel-toe.





MEN'S SAFETY SHOES/BOOTS

📥 DELTA

- Safety shoes/boots may be either steel toed or approved safety toed and must meet the minimum requirements in Safety Policies and Procedures Manual (SSPM) Section 74. Minimum requirements of ASTM F2413-11, ASTM requirements usually indicated by a label stamped inside the shoe.
- Shoes must be clean, polished, and in good repair
- Must be solid black or dark brown in color
- Heels, toes, and sides must be closed
- Safety shoes/boots must have laces and may not be slip on style shoes for employees with job responsibilities in the operation
- Minimum heel is ¼ inch and maximum height ½ inch

SOCKS

- Socks with shoes/boots are required
- Socks may be white, black, or navy blue and may be any length



80722 DR. MARTENS STEEL-TOE BOOTS

(35) Black, (50) Brown Water-resistant leather uppers. Steel-toe cap.





83630 HIGH-TOP COMPOSITE-TOE ATHLETIC SHOES

(35) Black All-leather upper with composite toe.



80733 MEN'S REEBOK WATERPROOF COMPOSITE-TOE HIKERS

(35) Black Waterproof. Composite toe is ASTM rated.



83726 AIRDISK™ COMPOSITE TOE SHOE

(35) Black

AirDisk™ Comfort Technology with slip- and oil-resistant outsole. Meets ASTM F2413-05 175/C75 standards.



WOMEN'S SAFETY SHOES/BOOTS

- Safety shoes/boots may be either steel toed or approved safety toed and must meet the minimum requirements in Safety Policies and Procedures Manual (SSPM) Section 74. Minimum requirements of ASTM F2413-11, ASTM requirements usually indicated by a label stamped inside the shoe.
- Shoes must be clean, polished, and in good repair
- Must be solid black or dark brown in color
- Heels, toes, and sides must be closed
- Safety shoes/boots must have laces and may not be slip on style shoes for employees with job responsibilities in the operation
- Minimum heel is ¼ inch and maximum height ½ inch

SOCKS

- · Socks with shoes/boots are required
- Socks may be white, black, or navy blue and may be any length











83688 WOMEN'S TIMBERLAND PRO SERIES **TITAN SAFETY TOE**

(35) Black Durashocks Safety-Toe Boots.

83685 TIMBERLAND PRO SERIES OXFORDS

(35) Black

Lightweight safety protection in a classic oxford style that features the PowerFit comfort system.

65727 WOMENS TITAN OXFORD

(50) Brown

Soft leather, TiTAN® safety toe, slip-, oil-, and abrasion-resistant outsoles.



83501 WOMEN'S LOW-TOP STEALTH ESD COMPOSITE-TOE ATHLETIC SHOE

(35) Black Slip-resistant.





QUESTIONS & RETURNS

📥 DELTA

FAQ

I never received my order?

• Please contact the Cintas Customer Service Team at (800) 543-0719 and they will be able to assist you.

I have to reset my password?

• You are able to reset your password on line by simply answering the 2 security questions which were established when you reset your generic password. If you need additional assistance, please call the Cintas Customer Service Team at (800) 543-0719.

I have a question on my allotment point balance?

• Please contact the Cintas Customer Service Team at (800) 543-0719 and they will be able to assist you.

I bought shoes/boots through the Cintas Shoemobile and need to return them?

• Please email mail-deltarep@cintas.com with your situation details and you will receive a response within 24 hours.

I purchased an item(s) at the Flight Station and now I'm seeing my charges coming through a month later?

• Please email mail-deltarep@cintas.com with your situation details and you will receive a response within 24 hours.

The item I have ordered is on backorder and I want to know when it will be available?

• Please contact the Cintas Customer Service Team at (800) 543-0719 and they will be able to assist you.

The item I received has a quality issue?

• Please contact the Cintas Customer Service Team at (800) 543-0719 and they will be able to arrange for a new item to be shipped to you at no charge. Please have your order information available if possible.

I need Maternity Pants/Shorts?

• Please email mail-deltarep@cintas.com with your contact information and include Maternity Pants in your request and you will be contacted directly for assistance.

ANY QUESTIONS OR CONCERNS

Call toll free at 800.543.0719 on Monday-Friday from 8:00 am-5:00 pm Central, or send an e-mail to deltarep@cintasmail.com.

PLEASE NOTE:

Orders are delivered 7 to 10 business days from the time of order entry. If you have not received your order within this time frame, please contact a customer service representative at 800.543.4450 between the hours of 7:00 am and 5:00 pm CST, Monday through Friday. You may also contact Customer Service via email at Mail-DeltaRep@cintas.com. Inquiries will be responded to within one business day.

RETURN AND EXCHANGE INFORMATION

Ship garments to:

Cintas Corporation Delta Returns 6800 Cintas Boulevard Mason, OH 45040 800.543.0719

Please note the reason for the return, with any exchanges needed, on the shipping notice in the carton. You may also include a separate letter, with return/exchange instructions, your name, employee number, department and station. Delta employee is required to pay any shipping costs, unless the return is for a manufacturing defect or direct Cintas error. If so, contact Customer Service at 800.543.0719 to discuss.

REMEMBER

We cannot accept garments after 60 days from shipment or garments that have been worn, laundered, altered or dry cleaned.

