



RUBBERMAID KITCHEN ESSENTIALS

Smart Products that Perform



Brought to you by



855.384.2590

www.eandsperformance.com

SPATULAS



HIGH HEAT SCRAPERS

Cool-touch handle is designed with employee safety in mind. Blades are stain resistant. Material will not scratch grills or cookware. Certified to NSF Std. #2. Resists heat up to 500°F/260°C and is dishwasher safe.

- 505603** 9 1/2"
- 505602** 13 1/2"
- 505601** 16 1/2"



SCRAPERS

Traditional flat blades for scraping are molded onto handles for a permanent bond. Seamless construction resists dirt or bacteria build-up. Dishwasher safe.



- 124100** 9 1/2", White
- 124200** 13 1/2", White

SPOON-SHAPED SPATULAS

Durable spoon-shaped blades for scraping, scooping and spreading. Seamless construction resists dirt or bacteria build up. Blades molded onto handles for permanent bond. Dishwasher safe.

- 273550** 9 1/2", White
- 273551** 13 1/2", White




Handle Hook



Clean Rest

FOOD CONTAINERS



CLEAR SQUARE FOOD CONTAINERS

Square containers store up to 25% more on a shelf than round containers in the same space. Break-resistant clear polycarbonate for visibility and long service life. Smooth surfaces for easy cleaning. Precise measurement gradations in red/blue. Nest for compact storage. Temperature range of -40°F to 212°F. Dishwasher safe. Made of FDA compliant materials. USDA Meat & Poultry Equipment Group Listed. Certified to NSF Std. #2.



- | | | | |
|-----------------|--------------|---------------|----------------------|
| 106306RM | 4 qt. Clear | 106222 | 22 qt. Clear |
| 106409RM | 6 qt. Clear | 104774 | Lid for 4/6 qt. |
| 106224 | 12 qt. Clear | 104773 | Lid for 12/18/22 qt. |
| 106223 | 18 qt. Clear | | |

ROUND STORAGE CONTAINERS

Economical, durable and easy-to-use. Stackable when in use. Nest for compact storage. Reinforced rim provides for added strength. Ergonomic, easy-grip handles with drain hole. Temperature range: -20°F to 212°F. Dishwasher safe.

- | | | | |
|---------------|---------------|---------------|----------------------|
| 107650 | 2 qt., White | 107660 | 18 qt., White |
| 107652 | 4 qt., White | 107662 | 22 qt., White |
| 107654 | 6 qt., White | 107666 | Lid for 2/4 qt. |
| 107656 | 8 qt., White | 107667 | Lid for 6/8 qt. |
| 107658 | 12 qt., White | 107668 | Lid for 12/18/22 qt. |



INGREDIENT BINS



PROSAVE™ INGREDIENT BINS


Prosave™ ingredient bins feature a slanted sliding lid for one-handed access with a clear door and ingredient labels for easy content identification. Unique, built-in hanging hook lets you store the included scoop inside the bin, helping prevent cross-contamination. Industrial-grade plastic construction is smooth and easy to clean, and the rectangular shape gives you optimal storage space. Shelf ingredient bins feature FIFO barrier to aid in proper ingredient rotation and are stackable to maximize storage space. Mobile bins fit neatly underneath tables and in storerooms. NSF Std. #2 Certified.

Mobile Bins

- 107305** 2³/₄ ft.³, 124 lb. Flour/158 lb. Sugar
- 107325** 3¹/₂ ft.³, 154 lb. Flour/197 lb. Sugar
- 107315** 4¹/₈ ft.³, 188 lb. Flour/240 lb. Sugar

Shelf Bins

- 591787** 40 Cup, 15" x 11³/₄" x 8¹/₂", White, 1/2 Cup Measuring Scoop
- 850044** 100 Cup, 25 lb. Flour, 50 lb. Sugar, 2 Cup Measuring Scoop
- 850028** 200 Cup, 50 lb. Flour, 100 lb. Sugar, 2 Cup Measuring Scoop



PROSERVE® SHEET PAN RACK

Features the PanGuard™ Locking Bar for enhanced pan security. User friendly handles enhance control and encourage safety. Rugged, industrial grade plastic top and bottom. Easy to clean, chrome-plated side panels resists rust and corrosion. Heavy-duty threadguard 5" casters (2 locking). Weight load rating up to 300 lbs.

- 107621** 26 Slots, 23"L x 28"W x 69⁵/₈"H, Black, Standard Base

Pan Rack

Prep Cart



PAN RACKS

MAX SYSTEM™ RACK & CART

Specially designed to work with full size food pans, food boxes and sheet pans. Made of impact-resistant structural web plastic with soft, rounded corners. Heat-resistant plastic construction allows hot baking pans, 350°F max, to be pulled directly from the oven and placed on the rack. Four 5" swivel casters (2 locking). 175 lb. capacity. Certified to NSF Std. #2.

- Pan Rack** - 18 slot dual loader for full size insert pans.
- 104671** 18 Slots, 23³/₄"L x 23³/₄"W x 67⁷/₈"H, Black

- Prep Cart w/Cutting Board** - 8 slot side loader for food boxes and sheet pans.
- 106418** 8 Slots, 31³/₄"L x 23³/₄"W x 36¹/₈"H, Off White



MECHANICAL SCALES



BRIEFCASE STYLE RECEIVING SCALE

Low profile receiving scale for foodservice, industrial, or office environments. Compact size stores easily and out of the way. Non-skid platform helps keep containers stable during weighing. Rustproof internal mechanism. Memory Lock™ locks in readings when dial is obscured by larger items. Enamel finish for strong protection.

113260 250 lb. x 1 lb.



HEAVY-DUTY RECEIVING SCALES

Heavy-duty platform scale for table top weighing. Large 10 1/2" dial is easy to read. Fixed dial for everyday use.

Angled 35° dial is easy to read from any direction. Shatter resistant lens for added protection. 13" x 13" platform.

113279 100 lb. x 4 oz., Chrome Plated

113274 200 lb. x 8 oz., Rustproof Enamel



DISHWASHER SAFE MECHANICAL PORTION CONTROL SCALE

QuickStop™ needle saves time in the kitchen. Dishwasher safe for easy cleaning and complete sanitation.

Requires no tools and has no loose parts. Rotating dial for easy tare. Stainless steel construction inside and out, will not rust. Alignment notch for precise and quick zero reset. Platform may be used as a handle.

517804 32 oz. x 1/4 oz.



HIGH PERFORMANCE PORTION CONTROL SCALES

Heavy-duty portion control scale features rugged, heavy gauge steel construction. Large, angled dial with clear, shatterproof lens that sharply defines markings. Platform: 9" x 9" color coded lens (by weight).

113299 10 lb. x 1 oz., Baked Enamel

113414 40 lb. x 2 oz., Baked Enamel



Y-LINE MECHANICAL PORTION CONTROL SCALE

Rustproof anodized aluminum chassis will not corrode or flex. Stainless steel platform and bezel are easy to clean and sanitary. Alignment notch for precise and quick zero reset. Platform may be used as a carry handle.

113259 25 lb. x 2 oz.



DIGITAL SCALES



DIGITAL RECEIVING SCALE

Tare feature removes the weight of the container for accurate weighing. Remote LCD display with 9' cord mounts on walls. Auto-off reserves battery power. Rugged design handles heavy packages and containers. AC adapter (included) or 9V battery (not included). Non-skid platform.



HIGH PERFORMANCE DIGITAL PORTION CONTROL SCALE

Reads in pounds, ounces and grams. Quick push bottom tare feature. Large angled display for easy viewing. Anti-microbial protection on resin surfaces. Large dishwasher safe stainless steel platform. Onboard count feature. Field calibrateable. Includes AC adapter. Uses AA batteries (not included).



COMPACT DIGITAL PORTION CONTROL SCALES

Quick push-button tare feature. Selectable units of measure in fractions, decimals or grams. Dishwasher-safe removable 5" x 5" stainless steel platform. AC Adaptor included, 17 hour rechargeable battery (not included). Can also operate on AAA batteries (not included).



PREMIUM DIGITAL PORTIONING SCALES

Reads in pounds, ounces and grams. Removable outer shell and platform are dishwasher safe. Large angled display for easy viewing. Anti-microbial protection on resin surfaces. Onboard count feature. Field calibrateable. Includes AC adapter. Uses AA batteries (not included).



- 487582** 2 lb. x 0.1 oz., 1/8 oz., 1 g
- 6021101** 10 lb. x 0.1 oz., 1/8 oz., 1 g

- 6016474** 6 lb. x 0.005 lb., 0.1 oz., 1/8 oz, 1 g, Resin
- 6017896** 12 lb. x 0.005 lb., 0.1 oz., 1/8 oz, 1 g, Resin
- 6019571** 12 lb. x 0.005 lb., 0.1 oz., 1/8 oz, 1 g, Stainless

ICE HANDLING



ICE ONLY CART

Ice cart for up to four ice totes. Safely and securely transports 100 lbs. of ice. Handle folds flat for storage. Includes hook for on board storage of ice tote lids (9F53). Metal handle and side rails, structural foam deck, and 5" non-marking casters.

- 153451** Ice Cart

SAFETY ICE TOTES

Features an angled top surface and pouring spout to reduce spills. Ergonomic comfort grip allows for safe transfer and ease of use. Fits in most commercial dishwashers. NSF Certified.



- 754020** 5 1/2 gal. Tote
- 858561** 5 1/2 gal., Tote w/Bin Hook Adapter

BOUNCER® UTILITY SCOOPS

Multi-purpose scoops designed for better weight distribution and improved handling. Made of durable, break-resistant clear polycarbonate. Smooth surfaces for easy cleaning. Dishwasher safe. BPA-free.



- 200800** 6 oz.
- 200700** 32 oz.
- 200910** 64 oz.



SCOOPS W/HAND GUARDS

Scoop with hand guard provides an angled handle which relieves wrist strain and protects hand from contacting ice, reducing risk of cross-contamination. The reinforced scoop edge improves durability. Commercial Dishwasher Safe, and NSF Certified. BPA-free.

- 185773** 74 oz. Scoop
- 465749** 74 oz. Scoop, w/Hand Guard & Holder





BRUTE® ROUND CONTAINERS

All plastic construction will not rust, chip or peel; resists dents. Strong, snap-on lids available for secure, stable stacking. Reinforced rims for added strength and durability. Built-in handles for easy, non-slip lifting; easy anti-jam nesting. Double-ribbed base for increased stability and dragging capacity. Lids and dolly sold separately.

652801	32 gal., Gray	653300	55 gal., Gray
653201	44 gal., Gray	6013476	55 gal., White



GREENSKEEPER® CONTAINER W/DOLLY & LID

Wash, drain, crisp, and store in a single container. Built-in reservoir lets water drain continuously. Containers roll easily from receiving dock to sink to cooler. Tight-fitting lids are included to keep contents fresh and clean. Seamless construction and smooth interiors are easy to clean. Materials are FDA compliant for food contact. USDA Meat & Poultry Equipment Group Listed.

653050 32 gal., White, Complete



BRUTE® ROUND CONTAINER LIDS

Strong, snap-on flat lid for secure, stable stacking. All plastic, professional-grade construction will not rust, chip or peel.

652700	Fits 32 gal., Gray
653301	Fits 55 gal., Gray
6013861	Fits 55 gal., White

Self-draining flat lid reduces pooling when containers are stored outside.

107627	Fits 44 gal., Black
653401	Fits 44 gal., Gray



BRUTE® DOLLY

Easy mobility and maneuverability of heavy loads. Up to 350 lb. continuous static load rating. All plastic construction resists rust, chipping and denting. Heavy-duty wheels with swivel capabilities provide for ease of mobility.

653100 Fits 20, 32, 44 & 55 gal. Brute® Containers



Can Liner Cinch



Venting Channels



Base Grips



SLIM JIM® WASTE CONTAINER W/HANDLES

Efficient 16 gallon size and slim shape fits in tight spaces. Durable, all plastic construction is easy-to-clean and provides long service life.

654703 16 gal., Gray



SLIM JIM® WASTE CONTAINERS W/VENTING CHANNELS

Features innovative patent-pending solutions that increase efficiency and improve worker well-being. Integrated venting channels take the strain out of liner removal. Space-saving profile fits virtually anywhere. Four can liner cinches improve productivity. Molded-in handles and base grips make lifting and emptying easier.

107547 23 gal., Black
107551 23 gal., Gray



SLIM JIM® SWING LIDS

Swing top provides easy access for trash disposal and then swings back to hide trash from public view. Encourage waste separation and recycling with interchangeable, color-coded tops. All Slim Jim® tops fit on all Slim Jim® containers.

230285 Black
686266 Blue
654656 Gray



SLIM JIM® RECYCLING CONTAINER

For use in areas of high paper generation, such as near copiers, printers and in mailrooms. Contains post-consumer recycled resin (PCR) exceeding EPA guidelines. Large capacity is ideal for heavy traffic areas.

654659 23 gal., Blue w Recycling Symbol

CARTS



CONVERTIBLE UTILITY CART

Converts from a utility cart to a platform truck in just seconds. Innovative, patent-pending design. Multi-functional productivity with improved worker comfort, saves time and money.
656103 400 lb.,
 45¹/₄"L x 23³/₄"W x
 34³/₈"H, Black



X-TRA™ UTILITY CARTS

Durable and attractive open-sided cart is sized to carry large loads. Large shelves hold various equipment and supplies. Capacity is 100 lbs. per shelf. Measures: 40⁵/₈"L x 20"W x 37¹³/₁₆"H.

- 106432** 300 lb., Black
- 106431** 300 lb., Gray
- 106427** 300 lb., Off White



2-SHELF UTILITY CARTS

Ergonomically designed push handle provides optimum hand placement and push height improving control and worker safety. Molded-in storage compartments, holsters, hooks and notches. High density structural resin construction. Easy-access bottom shelf. Best-in-class casters to meet the most demanding environments.

- 658805** 500 lb., 39"L x 17⁷/₈"W x 33¹/₄"H, Beige
- 658830** 500 lb., 39"L x 17⁷/₈"W x 33¹/₄"H, Black



EXECUTIVE SERVICE CART

Provides 20% more top-shelf capacity. Sleek, contemporary styling ideal for front or back of house applications. Wrap-around end panels and solid base bumper. Smooth surface is easy to clean and maintain. All plastic construction.

- 561909** 300 lb., Black

TRIPLE® STANDARD DUTY TROLLEY

Efficiently transports large bulky loads and then folds flat for easy storage. Sturdy structural foam deck won't rust, dent, chip or peel. Non-skid platform surface helps prevent load shifting. Tough plastic construction is easy on walls and doors. Three position user-friendly handle lets users push, pull or fold flat for use as a dolly. 5" non-marking casters.



- 655840** 400 lb., 32¹/₂"L x 20¹/₂"W, Black

HD PLATFORM TRUCKS

Ideal for moving large heavy loads in most any environment. Textured deck, molded-in tie down slots and powder coated frame and handle. 2 swivel and 2 fixed casters.

- 655009** 1000 lb., 24" x 48" Deck
- 312506** 2000 lb., 24" x 48" Deck



STANDARD-DUTY TILT TRUCK

Sturdy, plastic construction weighs much less than metal. Easy to handle and maneuver through commercial doorways and onto elevators. Constant force design allows for controlled dumping by one person. Inset wheels protect walls, fixtures and patrons. Smooth surface is easy to clean and resists pitting and corroding. Optional domed lid available.

- 654999** 1250 lb., 72¹/₄"L x 33¹/₂"W x 43³/₄"H, 1 cu. yd., Black

