



# TRAK™ 60

## POWER & EFFICIENCY

---

**Input Power Options:** 120v

**Current at Max Speed:** 1.16 Amps

**Power:** 0.13 hp

**Maximum Speed:** 8 mph

**Maximum Affected Area:** 20 ft. diameter / 400 sq. ft.

## MODELS

76009

76010


76011

## DIMENSIONS & WEIGHT

---

**Fan Diameter:** 60 inches

**Fan Weight:** 48 lbs



## MOUNTING & SAFETY

---

**Mounting Options:** Standard / Angled

**Downrod:** 11" Down Rod

**Safety Features:**

## INCLUDED IN THE BOX

---

**Included:** Wall Control, 11" Down Rod

**Optional:** Handheld Control

Down Rod Sizes: 24", 36", 48", 60", 72"

## WARRANTY & CERTIFICATIONS

---

**Certifications:** ETL/Intertek-certified to ANSI/UL 506 and CSA C22.2 No. 113 in North America

Indoor/Outdoor/Damp Rating: IP45

**Warranty!** 3-Year Warranty on Parts



# TRAK™ 60 WITH LIGHT

## POWER & EFFICIENCY

---

**Input Power Options:** 120v

**Current at Max Speed:** 1.16 Amps

**Power:** 0.13 hp

**Maximum Speed:** 8 mph

**Maximum Affected Area:** 20 ft. diameter / 400 sq. ft.

**Light Kit:** 30W LED, 900 Lumens, LM/W 30

## MODELS

76006

76007


76008

## DIMENSIONS & WEIGHT

---

**Fan Diameter:** 60 inches

**Fan Weight:** 48 lbs



## MOUNTING & SAFETY

---

**Mounting Options:** Standard / Angled

**Downrod:** 11" Down Rod

**Safety Features:**

## INCLUDED IN THE BOX

---

**Included:** Wall Control, 11" Down Rod

**Optional:** Handheld Control

Down Rod Sizes: 24", 36", 48", 60", 72"

## WARRANTY & CERTIFICATIONS

---

**Certifications:** ETL/Intertek-certified to ANSI/UL 506 and CSA C22.2 No. 113 in North America

Indoor/Outdoor/Damp Rating: IP45

**Warranty!** 3-Year Warranty on Parts



# TRAK™ 72

## POWER & EFFICIENCY

---

**Input Power Options:** 120v

**Current at Max Speed:** 1.16 Amps

**Power:** 0.13 hp

**Maximum Speed:** 8 mph


**Maximum Affected Area:** 24 ft. diameter / 576 sq. ft.

## DIMENSIONS & WEIGHT

---

**Fan Diameter:** 72 inches

**Fan Weight:** 48 lbs



## MOUNTING & SAFETY

---

**Mounting Options:** Standard / Angled

**Downrod:** 11" Down Rod

**Safety Features:**

## INCLUDED IN THE BOX

---

**Included:** Wall Control, 11" Down Rod

**Optional:** Handheld Control

Down Rod Sizes: 24", 36", 48", 60", 72"

## WARRANTY & CERTIFICATIONS

---

**Certifications:** ETL/Intertek-certified to ANSI/UL 506 and CSA C22.2 No. 113 in North America

Indoor/Outdoor/Damp Rating: IP45

**Warranty!** 3-Year Warranty on Parts

## MODELS

76015

76016

76017



# TRAK™ 72 WITH LIGHT

## POWER & EFFICIENCY

---

**Input Power Options:** 120v

**Current at Max Speed:** 1.16 Amps

**Power:** 0.13 hp

**Maximum Speed:** 8 mph

**Maximum Affected Area:** 24 ft. diameter / 576 sq. ft.

**Light Kit:** 30W LED, 900 Lumens, LM/W 30

## MODELS

76012

76013


76014

## DIMENSIONS & WEIGHT

---

**Fan Diameter:** 72 inches

**Fan Weight:** 48 lbs



## MOUNTING & SAFETY

---

**Mounting Options:** Standard / Angled

**Downrod:** 11" Down Rod

**Safety Features:**

## INCLUDED IN THE BOX

---

**Included:** Wall Control, 11" Down Rod

**Optional:** Handheld Control

Down Rod Sizes: 24", 36", 48", 60", 72"

## WARRANTY & CERTIFICATIONS

---

**Certifications:** ETL/Intertek-certified to ANSI/UL 506 and CSA C22.2 No. 113 in North America

Indoor/Outdoor/Damp Rating: IP45

**Warranty!** 3-Year Warranty on Parts



# TRAK™ 84

## POWER & EFFICIENCY

---

**Input Power Options:** 120v

**Current at Max Speed:** 1.16 Amps

**Power:** 0.13 hp

**Maximum Speed:** 8 mph


**Maximum Affected Area:** 28 ft. diameter / 784 sq. ft.

## DIMENSIONS & WEIGHT

---

**Fan Diameter:** 84 inches

**Fan Weight:** 49 lbs



## MOUNTING & SAFETY

---

**Mounting Options:** Standard / Angled

**Downrod:** 11" Down Rod

**Safety Features:**

## INCLUDED IN THE BOX

---

**Included:** Wall Control, 11" Down Rod

**Optional:** Handheld Control

Down Rod Sizes: 24", 36", 48", 60", 72"

## WARRANTY & CERTIFICATIONS

---

**Certifications:** ETL/Intertek-certified to ANSI/UL 506 and CSA C22.2 No. 113 in North America

Indoor/Outdoor/Damp Rating: IP45

**Warranty!** 3-Year Warranty on Parts

## MODELS

76021

76022

76023



# TRAK™ 84 WITH LIGHT

## POWER & EFFICIENCY

---

**Input Power Options:** 120v

**Current at Max Speed:** 1.16 Amps

**Power:** 0.13 hp

**Maximum Speed:** 8 mph

**Maximum Affected Area:** 28 ft. diameter / 784 sq. ft.

**Light Kit:** 30W LED, 900 Lumens, LM/W 30

## MODELS

76018

76019


76020

## DIMENSIONS & WEIGHT

---

**Fan Diameter:** 84 inches

**Fan Weight:** 49 lbs



## MOUNTING & SAFETY

---

**Mounting Options:** Standard / Angled

**Downrod:** 11" Down Rod

**Safety Features:**

## INCLUDED IN THE BOX

---

**Included:** Wall Control, 11" Down Rod

**Optional:** Handheld Control

Down Rod Sizes: 24", 36", 48", 60", 72"

## WARRANTY & CERTIFICATIONS

---

**Certifications:** ETL/Intertek-certified to ANSI/UL 506 and CSA C22.2 No. 113 in North America

Indoor/Outdoor/Damp Rating: IP45

**Warranty!** 3-Year Warranty on Parts



# TRAK™ 96

## POWER & EFFICIENCY

---

**Input Power Options:** 120v

**Current at Max Speed:** 1.16 Amps

**Power:** 0.13 hp

**Maximum Speed:** 8 mph


**Maximum Affected Area:** 32 ft. diameter / 1,024 sq. ft.

## DIMENSIONS & WEIGHT

---

**Fan Diameter:** 96 inches

**Fan Weight:** 49 lbs



## MOUNTING & SAFETY

---

**Mounting Options:** Standard / Angled

**Downrod:** 11" Down Rod

**Safety Features:**

## INCLUDED IN THE BOX

---

**Included:** Wall Control, 11" Down Rod

**Optional:** Handheld Control

Down Rod Sizes: 24", 36", 48", 60", 72"

## WARRANTY & CERTIFICATIONS

---

**Certifications:** ETL/Intertek-certified to ANSI/UL 506 and CSA C22.2 No. 113 in North America

Indoor/Outdoor/Damp Rating: IP45

**Warranty!** 3-Year Warranty on Parts

## MODELS

76027

76028

76029



# TRAK™ 96 WITH LIGHT

## POWER & EFFICIENCY

---

**Input Power Options:** 120v

**Current at Max Speed:** 1.16 Amps

**Power:** 0.13 hp

**Maximum Speed:** 8 mph

**Maximum Affected Area:** 32 ft. diameter / 1,024 sq. ft.

**Light Kit:** 30W LED, 900 Lumens, LM/W 30

## MODELS

76024

76025


76026

## DIMENSIONS & WEIGHT

---

**Fan Diameter:** 96 inches

**Fan Weight:** 49 lbs



## MOUNTING & SAFETY

---

**Mounting Options:** Standard / Angled

**Downrod:** 11" Down Rod

**Safety Features:**

## INCLUDED IN THE BOX

---

**Included:** Wall Control, 11" Down Rod

**Optional:** Handheld Control

Down Rod Sizes: 24", 36", 48", 60", 72"

## WARRANTY & CERTIFICATIONS

---

**Certifications:** ETL/Intertek-certified to ANSI/UL 506 and CSA C22.2 No. 113 in North America

Indoor/Outdoor/Damp Rating: IP45

**Warranty!:** 3-Year Warranty on Parts